

Office – Homely Remedies

Homely Remedies are supported in eMARx. This guide will show how to set up a new homely remedy. To assign a homely remedy to a service user, please see Office – Service User Homely Remedies. Please check your Homely Remedy policy before setting up any Homely Remedies.



Click on the Office icon



Select the **Homely Remedies** tab.



To add a new **Homely Remedy**, click the green plus.

Homely Remedy - Add

Description:

Form:

Strength:

☐ Enable Dosage Interval

Default Instructions For Use:

Default Additional Instruction:

The Homely Remedy box becomes editable. Enter the new Homely Remedy information. These are the default instructions for this Homely Remedy; however, they can be altered when assigning to a Service User.

Homely Remedy - Add

Description:

Form:

Strength:

☐ Enable Dosage Interval


Default Instructions For Use:

Default Additional Instruction:

Once the information is entered, click the **Save** button at the top left.



To **Edit** an existing Homely Remedy, select a homely remedy from the right-hand side, then click the **Edit** button on the left.



Once Homely Remedies have been added you'll now need to assign them to the required residents. Go to Service User Homely Remedies and select the desired user from the right-hand side.



Click the plus sign on the left-hand side of the screen.

Homely Remedies List	
Gaviscon SF Liquid	<input checked="" type="checkbox"/>
Paracetamol	<input checked="" type="checkbox"/>
Simple Linctus Sugarfree	<input type="checkbox"/>



Toggle the switches on or off if they are available for the selected resident and click save.